

# GasAlert MicroClip XL

## Order Sheet

The **GasAlertMicroClip XL** provides affordable and easy to wear protection. For extended battery life, especially in cold weather, choose the **GasAlertMicroClip XL**.



Choose any sensor combination for your **GasAlertMicroClip XL** multi-gas detector, which comes with a battery charger for your specific region. A variety of accessories and spares are available to compliment your detector and suit your application, such as confined space kits, carrying accessories, power options, docking station systems and sampling/testing equipment.

### Standard Package Contents

- GasAlertMicroClip XL
- Rechargeable battery
- Wall outlet charging adaptor
- Calibration/test cap and hose
- Manual
- Multi-language CD manual

### Confined Space Kit includes

- Leather carrying case
- IR connectivity kit with Fleet Manager II software
- 0.5 LPM regulator
- Auxiliary filter kit
- Manual aspirator kit
- 3 m /10 ft. sampling hose with quick connect
- Calibration cap with 0.3 m /1 ft. hose with quick connect
- Sampling probe
- Hard-sided carrying case with insert pockets and foam case insert



## GasAlertMicroClip XT 4-Gas Detector

## Order Number

### Detector Configuration

### GasAlertMicroClip XT Yellow

### GasAlertMicroClip XL Yellow

Combustible (%LEL), Oxygen (O <sub>2</sub> ), Hydrogen Sulphide (H <sub>2</sub> S), Carbon Monoxide (CO)	MC2-XWHM-Y-UK	MCXL-XWHM-Y-UK
--	---------------	----------------

Black housing available with all GasAlertMicroClipXT configurations. To order a unit with black housing replace "-Y-" with "-B-". For regions outside the United Kingdom replace "-UK" with: "-EU" for Europe.

## GasAlertMicroClipXT 3-Gas Detector

## Order Number

### Detector Configuration

### GasAlertMicroClip XT Yellow

### GasAlertMicroClip XL Yellow

Combustible (%LEL), Oxygen (O <sub>2</sub> ), Hydrogen Sulphide (H <sub>2</sub> S)	MC2-XWH0-Y-UK	MCXL-XWH0-Y-UK
Combustible (%LEL), Oxygen (O <sub>2</sub> ), Carbon Monoxide (CO)	MC2-XW0M-Y-UK	MCXL-XW0M-Y-UK
Combustible (%LEL), Hydrogen Sulphide (H <sub>2</sub> S), Carbon Monoxide (CO)	MC2-0WHM-Y-UK	MCXL-0WHM-Y-UK
Oxygen (O <sub>2</sub> ), Hydrogen Sulphide (H <sub>2</sub> S), Carbon Monoxide (CO)	MC2-X0HM-Y-UK	MCXL-X0HM-Y-UK

Black housing available with all GasAlertMicroClipXT configurations. To order a unit with black housing replace "-Y-" with "-B-". For regions outside the United Kingdom replace "-UK" with: "-EU" for Europe.

## GasAlertMicroClipXT 2-Gas Detector

## Order Number

### Detector Configuration

### GasAlertMicroClip XT Yellow

### GasAlertMicroClip XL Yellow

Combustible (%LEL), Oxygen (O <sub>2</sub> )	MC2-XW00-Y-UK	MCXL-XW00-Y-UK
Combustible (%LEL), Hydrogen Sulphide (H <sub>2</sub> S)	MC2-0WH0-Y-UK	MCXL-0WH0-Y-UK
Combustible (%LEL), Carbon Monoxide (CO)	MC2-0W0M-Y-UK	MCXL-0W0M-Y-UK
Hydrogen sulphide (H <sub>2</sub> S), Carbon Monoxide (CO)	MC2-00HM-Y-UK	MCXL-00HM-Y-UK
Oxygen (O <sub>2</sub> ), Hydrogen Sulphide (H <sub>2</sub> S)	MC2-X0H0-Y-UK	MCXL-X0H0-Y-UK
Oxygen (O <sub>2</sub> ), Carbon Monoxide (CO)	MC2-X00M-Y-UK	MCXL-X00M-Y-UK

Black housing available with all GasAlertMicroClipXT configurations. To order a unit with black housing replace "-Y-" with "-B-". For regions outside the United Kingdom replace "-UK" with: "-EU" for Europe.

## GasAlertMicroClipXT 1-Gas Detector

## Order Number

### Detector Configuration

### GasAlertMicroClip XT Yellow

### GasAlertMicroClip XL Yellow

Combustible (%LEL)	MC2-0W00-Y-UK	MCXL-0W00-Y-UK
Oxygen (O <sub>2</sub> )	MC2-X000-Y-UK	MCXL-X000-Y-UK
Hydrogen Sulphide (H <sub>2</sub> S)	MC2-00H0-Y-UK	MCXL-00H0-Y-UK
Carbon monoxide (CO)	MC2-000M-Y-UK	MCXL-000M-Y-UK

Black housing available with all GasAlertMicroClipXT configurations. To order a unit with black housing replace "-Y-" with "-B-". For regions outside the United Kingdom replace "-UK" with: "-EU" for Europe.

### GasAlertMicroClipXT 4-Gas Detector (non Filtered LEL)

#### Order Number

Detector Configuration	GasAlertMicroClip XT Yellow	GasAlertMicroClip XL Yellow
Non Filtered Version Combustible (%LEL), Oxygen (O <sub>2</sub> ), Hydrogen Sulphide (H <sub>2</sub> S), Carbon Monoxide (CO)	MC2-XUHM-Y-UK	MCXL-XUHM-Y-UK

Black housing available with all GasAlertMicroClipXT configurations. To order a unit with black housing replace “-Y-” with “-B-”. For regions outside the United Kingdom replace “-UK” with: “-EU” for Europe.

### GasAlertMicroClipXT 3-Gas Detector (non Filtered LEL)

#### Order Number

Detector Configuration	GasAlertMicroClip XT Yellow	GasAlertMicroClip XL Yellow
Non Filtered Version Combustible (%LEL), Oxygen (O <sub>2</sub> ), Hydrogen Sulphide (H <sub>2</sub> S)	MC2-XUH0-Y-UK	MCXL-XUH0-Y-UK
Non Filtered Version Combustible (%LEL), Oxygen (O <sub>2</sub> ), Carbon Monoxide (CO)	MC2-XU0M-Y-UK	MCXL-XU0M-Y-UK
Non Filtered Version Combustible (%LEL), Hydrogen Sulphide (H <sub>2</sub> S), Carbon Monoxide (CO)	MC2-0UHM-Y-UK	MCXL-0UHM-Y-UK

Black housing available with all GasAlertMicroClipXT configurations. To order a unit with black housing replace “-Y-” with “-B-”. For regions outside the United Kingdom replace “-UK” with: “-EU” for Europe.

### GasAlertMicroClipXT 2-Gas Detector (non Filtered LEL)

#### Order Number

Detector Configuration	GasAlertMicroClip XT Yellow	GasAlertMicroClip XL Yellow
Non Filtered Version Combustible (%LEL), Oxygen (O <sub>2</sub> )	MC2-XU00-Y-UK	MCXL-XU00-Y-UK
Non Filtered Version Combustible (%LEL), Hydrogen Sulphide (H <sub>2</sub> S)	MC2-0UH0-Y-UK	MCXL-0UH0-Y-UK
Non Filtered Version Combustible (%LEL), Carbon Monoxide (CO)	MC2-0U0M-Y-UK	MCXL-0U0M-Y-UK

Black housing available with all GasAlertMicroClipXT configurations. To order a unit with black housing replace “-Y-” with “-B-”. For regions outside the United Kingdom replace “-UK” with: “-EU” for Europe.

### GasAlertMicroClipXT 1-Gas Detector (non Filtered LEL)

#### Order Number

Detector Configuration	GasAlertMicroClip XT Yellow	GasAlertMicroClip XL Yellow
Non Filtered Version Combustible (%LEL)	MC2-0U00-Y-UK	MCXL-0U00-Y-UK

Black housing available with all GasAlertMicroClipXT configurations. To order a unit with black housing replace “-Y-” with “-B-”. For regions outside the United Kingdom replace “-UK” with: “-EU” for Europe.

## Extension of Warranty

### Detector Configuration

### Order number for both XT and XL

One year extension of warranty is available at the time of purchase; after 2 years a full maintenance is done on the instrument (must be done by a BW certified and trained service technician) and the O<sub>2</sub> sensor plus filter are replaced. The warranty extension applies to the instrument (including sensors) with the exception of the battery.

MC2-WEXT-1Y

## Confined Space Kit

### Detector Configuration

### Order number for both XT and XL

GasAlertMicroClip XT deluxe confined space kit

MC-CK-DL

Carrying case for GasAlertMicroClip XT (with foam and lid insert from confined space kit)

MC-CK-CC

## Carrying Accessories

### Detector Configuration

### Order number for both XT and XL

Neck strap with safety release

GA-NS-1

Short strap (6 in. / 15.2 cm)

GA-LY-1

Extension strap (4 ft. / 1.2 m)

GA-ES-1

Chest harness

GA-CH-2

Black leather and PVC carrying holster

MC2-LC-1

## Power Options

### Detector Configuration

### Order number for both XT and XL

Multi-unit (5) cradle charger

MC2-C01-MC5

Multi-unit power adaptor

GA-PA-1-MC5

12-24 VDC vehicle power adaptor (to be plugged in to cigarette adapter of Vehicle)

GA-VPA-1

12-24 VDC direct-wire power adaptor (Not be plugged into the cigarette adapter but hard wired into vehicle)

GA-PA-3

Replacement power adaptor

GA-PA-1-UK

For regions outside the United Kingdom replace "-UK" with: "-EU" for Europe.

## Datalogging Accessories

### Detector Configuration

### Order number for both XT and XL

IR connectivity kit with Fleet Manager Software

GA-USB1-IR

## Sampling/Testing Equipment

### Detector Configuration

### Order number for both XT and XL

Test cap and hose (0.3 m (1 ft.)) replacement	MC-TC-1
MicroDock II - Base station and GasAlertMicroClip XT docking module with charging cable excluding DFR	DOCK2-2-1C1P-00-G
MicroDock II - Base station and GasAlertMicroClip XT docking module without charging cable excluding DFR	DOCK2-2-1P-00-G
MicroDock II - GasAlertMicroClip XT docking module with charging cable	DOCK2-0-1C1P-00-G
MicroDock II - GasAlertMicroClip XT docking module without charging cable	DOCK2-0-1P-00-G
Auxiliary filter kit (complete with filter adaptor and 5 filters)	MC-AF-K1
Auxiliary filter adaptor (no filters)	MC-AF-1
Auxiliary filter replacement for adaptor, kit of 10	MC-SS-AF-K1
Manual aspirator pump kit with probe, no filter (0.3 m (1 ft.))	MC-AS01

For complete MicroDock II system configuration information, see MicroDock II section.

### Sensors

### Order Number

### Detector Configuration

### GasAlertMicroClip XT Yellow

### GasAlertMicroClip XL Yellow

Quad sensor screen filters, kit of 2	MC2-SS	
Quad sensor screen filters, kit of 10	MC2-SS-K1	
Replacement MICROpeL combustible (LEL) sensor non filtered	SR-W-MP75	
Replacement MICROpeL combustible (LEL) sensor	SR-W-MP75C	
Replacement oxygen (O <sub>2</sub> ) sensor	SR-X10-C1	SR-X2V
Replacement MICROceL Hydrogen Sulphide (H <sub>2</sub> S) sensor	SR-H-MC	
Replacement MICROceL Carbon Monoxide (CO) sensor	SR-M-MC	

## GasAlertMicroClip XT

Part	Description	Order Number GasAlertMicroClip XT	Order Number GasAlertMicroClip XL	Min. Service Training Level to Repl.	Comments
1	Front Case Yellow Front Case with 6 Screws of One Type Black Front Case with 6 Screws of One Type	MC2-FC1 MC2-FC1B	MCXL-FC1 MCXL-FC1B	Level-1 Level-1	
2	LEL Sensor	Please see "Replacement Sensors" part of GasAlertMicroClip XT price list			See Product section
3	PCB Kit	Main PCB for GasAlertMicroClip XT with Battery and 2 Screws of One Type	MC2-MPCB1 MCXL-MPCB1	Level-2	
4	Screw Kit	PCB Screws (One Type: Same as back case screws)	MC-SCREW-K1	No training	
6	(20 screws) Back Case Screws (One Type: Same as PCB screws)				
5	Back Case Yellow Back Case with 6 Screws of One Type + Alligator Clip Black Back Case with 6 Screws of One Type + Alligator Clip	MC2-BC1 MC2-BC1B	MCXL-BC1 MCXL-BC1B	Level-1 Level-1	
7	Sealing Rib	Comes with the back case			Comes with the back case
8	CO Sensor	Please see "Replacement Sensors" part of GasAlertMicroClip XT price list			See Product section
9	H <sub>2</sub> S Sensor	Please see "Replacement Sensors" part of GasAlertMicroClip XT price list			See Product section
10	O <sub>2</sub> Sensor	Please see "Replacement Sensors" part of GasAlertMicroClip XT price list			See Product section
11	Sensor Filter	Please see "Replacement Sensors" part of GasAlertMicroClip XT price list			See Product section
12	LCD	LCD Kit for GasAlertMicroClip XT	MC-LCD-K1	Level-1	
13	O <sub>2</sub> Sensor PCB	O <sub>2</sub> Sensor PCB Including Flex Cable	MC2-FPCB1	Level-1	
n/a	Alligator Clip	Alligator clip (only comes with the back case because it is permanently attached to the back case)			Comes with the back case
Training Programs	Level-1: Service Training with Certification (On-Site / One day / Minimum for 5 people / Price is per person)	Onsite-T1D-base			*
	Level-1: Service Training with Certification (At Honeywell / One day / Minimum for 2 people / Price is per person)	HWsite-T1D-basic			
	Level-2: Service Training with Certification (On-Site / One day / Minimum for 5 people / Price is per person)	Onsite-T1D-base			*
	Level-2: Service Training with Certification (At Honeywell / One day / Minimum for 2 people / Price is per person)	HWsite-T1D-basic			
Calibration***	GasAlert MicroClip XT Calibration	MICROCLIP_XT_CAL		No training	
Repair***	GasAlert MicroClip XT Repair Fee	MICROCLIP_XT_REP		Depending on repair	**
Inspection Fee***	On declined quote only	PORTABLE_INS_QUOTE		n/a	

\* Based on travel time to training location, the price may be subject to change.

\*\* Includes calibration and certification if applicable.

\*\*\* We do not offer a discount for calibration, repair, and inspection as they are a labor-based item

