




## Scilabub Limited

9 Huntingdon Court, Measham, Derbyshire, DE12 7NQ, UK.

T: +44 (0) 1530 279996 F: +44 (0) 1530 270759 <http://www.scilabub.com> email: [sales@scilabub.com](mailto:sales@scilabub.com)

Information for customer: FROSTERS Aprons

Stockcode	Style No	Style Ref	Size	Chest/cm	Length/cm
4431000080	SPA/194	APR/CMS	Small	80-120	90
4431000090	SPA/194	APR/CMM	Medium	80-120	100
4431000100	SPA/194	APR/CML	Large	80-120	120
4431000110	SPA/194	APR/CMXL	XL	80-120	140



### STANDARD EN 388:2016

Abrasion Resistance	Cut Resistance	Cut Resistance (TDM)	Tear Resistance	Puncture Resistance
2	X	X	2	X



### Level



Flexibility	Water Penetration	Extreme Cold Flexibility	Convective Cold	Contact Cold
Pass	X	Pass	2	2

Pass
X
Pass
2
2



### EN 511:2006

Additional Information	EN20811:2018
Water Penetration	162-196 Kpa

### APRON DESCRIPTION

The outer layer, of royal blue, woven, polyamide, has a waterproof coating to resist condensed water on cold surfaces. The middle layer is of special polyolefin/polyester micro fibre, which is almost twice as effective in thermal insulation as a similar thickness of down. This minimises heat transfer without being so thick as to be cumbersome. The inner layer is of cotton for comfortable wear.

### MARKING

Each packet shall be labelled / contain the appropriate marking with regards to the amount, type, size, manufacturer, performance levels and **CE** mark.

TD-1048

Labels on the clothing will contain similar information. This information will be provided in the minimum resale quantity.

### INTERMEDIATE SAFETY CATEGORY

Aprons are designed to protect the torso in the working environment in accordance with BS EN ISO 13688:2013 BSEN 388:2016, BSEN 511:2006. When selecting an apron based on risk analysis it should be understood that the protection is limited to the risk level and standards mentioned above. The EC type examination was carried out by ITS Testing Services, Centre Court, Meridian Business Park, Leicester, LE19 1WD, UK. Their test house number is 0362, and is subject to ongoing surveillance by SGS United Kingdom. 202B, Worle Parkway, Weston-super-Mare BS22 6WA notified body 0120. None of the materials or processes used in the manufacture of these products is known to be harmful to the wearer.

### WARNINGS:

Test results apply to the clothing in the as received condition may differ if cleaned. Do not use near moving machinery due to entanglement hazard. Overall classification may not reflect the performance of only the outermost layer. These items are not suitable for protection against sharply pointed objects such as hypodermic needles. Items may lose their insulative properties when wet.

### CARE / MAINTENANCE

Cleaning and disinfection is not intended for these items. Both new and used items should be thoroughly inspected before and after use, especially after cleaning treatment, and before being worn to ensure no damage is present. Damaged aprons should not be worn and should be disposed of. Wet or contaminated aprons should not be used. Dirty aprons may not provide the same level of protection as that shown. Aprons should not be left in a contaminated condition if re-use is intended, in which case aprons should be cleaned as far as possible, provided no serious hazards exist, before removal. Excess contaminant should first be removed, e.g. loose dirt can be brushed off with a soft brush. The aprons may be de-contaminated with mild detergent solution, then rinsed with clean water and allowed to dry naturally, ideally with some air movement. When the contaminant is not removable or presents a potential hazard it is advisable that the aprons are removed without the contaminant contacting the bare hands. Washing is not recommended. Do not wring. Do not tumble dry. Do not use bleach. Aprons may be rinsed in water and allowed to drip dry in ambient temperatures. Reshape whilst still damp.



### PACKING AND STORAGE

Can be used under normal climatic conditions. Aprons shall be wrapped in polymeric packaging. Aprons can be used up to five years after date of supply if stored correctly. Store in original packaging. Aprons should be ideally stored in a cool dry place away from direct sunlight at ambient temperatures (between 5°C and 25°C) in a dry well ventilated area in original packaging to maintain

the optimum properties of the apron. The aprons are packed in bundles, along with this leaflet. This bundle is suitable for transportation and storage. **OBSOLESCENCE** Stored correctly, the aprons' physical properties will not change for up to five years.

**GENERAL** The quality systems used to manufacture the aprons are in compliance with ISO 9001:2015.

**PLEASE NOTE** The information contained here is intended to assist the wearer in the selection of personal protective equipment. The result of the laboratory tests should help with correct glove selection; however, it should be understood that the actual conditions of use cannot be directly simulated. It is therefore the responsibility of the end user and not the manufacturer to determine the glove suitable for the intended use.

**DECLARATION** Scilabub declares that the new PPE as described in the TD 1048,

**technical specification for the following FROSTER-APRONS**, is in conformity with provisions of Council Regulations 2016/425/EEC and with the national standard transposing harmonised standard No: BS EN ISO 13688:2013, BSEN 388:2016, BSEN 511:2006 and identical to the PPE which is the subject of the EU certificate. No: LECFI00373977, issued by: ITS TESTING SERVICES, CENTRE COURT, MERIDIAN BUSINESS PARK, LEICESTER, LE19 1 WD, and is subject to the procedure set out in Module C of Regulations 2016/425/EEC under the supervision of the notified body SGS United Kingdom.

Done at: Scilabub Limited, Measham, Derbyshire, on 25/10/19

Signature: *M. A. Gee* Mr M. Gee, Managing Director

This series satisfies the basic requirements of the PPE Regulation (EU) 2016/425 in being innocuous/free from nuisance factors, ergonomic and breathable. Conditions of use are not simulated by the test results and as such service life cannot be specified.

Further information is available at the below address:

### Scilabub Limited

9 Huntingdon Court, Measham, Derbyshire, DE12 7NQ, UK.

T: +44 (0)1530 279996 F: +44 (0)1530 270759  
<http://www.scilabub.com> email: [sales@scilabub.com](mailto:sales@scilabub.com)