



Cut



Light Duty

## These ultra-thin cut-resistant gloves offer barehand-like dexterity with Dyneema Diamond Cut Resistant Technology

- These 11-518 ultra-thin cut-resistant gloves belong to a next-generation of HyFlex® styles that bring legendary HyFlex® performance to an ultralight duty style with a barehand-like sensation of tactility and dexterity.
- This first-to-market combination of 18-gauge comfort and EN ISO cut level B (ANSI cut level 2) performance is made possible by a unique combination of engineered materials.
- The soft, strong liner in these ultra-thin cut-resistant gloves features Dyneema® Diamond Technology fiber. Lightweight and breathable, it ventilates the back of the hand for all day comfort.
- A resilient PU coating in combination with the Dyneema® Diamond Technology fiber contributes to the high cut scores, and also delivers EN level 3 (ANSI level 3) abrasion performance for extended glove life.
- For the precision handling and assembly of sharp, dry, ultra-fine parts, the 18 gauge 11-518 style provides unprecedented comfort, dexterity and protection.



### Industries

- Automotive
- Machinery and Equipment
- Metal fabrication
- Chemical

### Applications

- Assembly & inspection of components
- Press injection molding
- Picking, fastening components
- Final assembly
- Delivery of parts to production line
- Applying finish to materials, products
- Handling incoming goods
- Opening furnaces draining pumps valves or lines and crackers BTX process

# HyFlex®

ADVANCED MECHANICAL PROTECTION

## 11-518

Ultra Light Weight Cut Protection  
Outstanding Dexterity and Maximum  
comfort.


### Key Features

- **Ultralight duty seamless liner**  
Enhanced flexibility (range of motion) and tactility (fingertip sensitivity).
- **Dyneema® Diamond Technology fiber**  
Very high cut-to-dexterity ratio for safety with comfort EN cut level 3 (ANSI cut level 2).
- **Thin PU Coating**  
High dexterity with high abrasion resistance (EN level 3, ANSI level 3).
- **D3 Pinky Knitting**  
Tailored fit at the base of the pinky finger better matches natural hand contours.
- **Sizing**  
Sizes 6-11 ensure optimum fit and comfort for every worker.

- **Also available in vend pack**

### Performance Standards & Regulatory Compliance

#### REACH Compliant



### Specifications

BRAND   STYLE	DESCRIPTION	Gauge	SIZE	LENGTH	COLOR	PACKAGE
HyFlex® 11-518	Palm Coated, Polyurethane, Nylon, Spandex, Dyneema® Diamond Technology, Knitwrist	18	6, 7, 8, 9, 10, 11	210-265 mm; 8.27-10.43 inches	Blue	• 12 pairs in a bag; 12 bags in a carton

For additional information visit us at [www.ansell.com](http://www.ansell.com), or call us at

#### Europe, Middle East & Africa Region

Ansell Healthcare Europe NV  
Riverside Business Park  
Blvd International, 55  
1070 Brussels, Belgium  
T: +32 (0) 2 528 74 00  
F: +32 (0) 2 528 74 01

#### North America Region

Ansell Healthcare Products LLC  
111 Wood Avenue South,  
Suite 210  
Iselin, NJ 08830, USA  
T: +1 800 800 0444  
F: +1 800 800 0445

#### Australia

Ansell Limited  
Level 3, 678 Victoria Street,  
Richmond, Vic, 3121  
Australia  
T: +61 1800 337 041  
F: +61 1800 803 578

#### Asia Pacific Region

Ansell Global Trading Center  
(Malaysia) Sdn Bhd  
Prima 6, Prima Avenue  
Block 3512, Jalan Teknokrat 6  
T: +603 8310 6688  
F: +603 8310 6699

#### Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V.  
Blvd. Bernardo Quintana No. 7001-C,  
Q7001 Torre II,  
Suites 1304, 1305 y 1306.  
Col. Centro Sur, c.p. 76079  
Queretaro, Qro. Mexico  
T: +52 442 248 1544 / 248 3133

#### Canada

Ansell Canada  
105 Lauder  
Owensville, QC J2K 2K8  
Canada  
T: +1 800 363 8340  
F: +1 800 267 3551

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending:  
[www.ansell.com/patentmarking](http://www.ansell.com/patentmarking) © 2020 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

### Technologies



Fibre glass free

# Ansell