



Oil



Cut



Medium Duty

Ultimate performance for oily environments

- HyFlex 11-927 is the first HyFlex style to combine advanced cut resistance, oil-repellence and oil grip in a single glove
- The 11-927 features a durable double coating with industry leading and patented ANSELL GRIP™ Technology on the palm, for a secure grip in oily environments
- The liner is made of a light, strong High Performance Polyethylene (HPPE) fiber that provides ANSI Level 2 (EN 3) cut performance, with a 3/4 dip primary coating
- This unique blend of protection and performance makes the 11-927 a versatile choice for any application where workers are handling sharp metal components coated in oil or other lubricants.



Industries

- Automotive
- Machinery and Equipment
- Metal fabrication

Applications

- Press shop operations
- Handling parts with sharp, rough edges
- Handling structural and body components
- Chassis assembly, body trimming
- Production line support & maintenance
- Inspection (picking, checking and marking)
- Adjusting systems and screwing
- Mounting and dismantling
- Handling materials with sharp or rough edges
- Assembly & inspection of components
- Equipment repair & maintenance

Key Features

- Patented ANSELL GRIP Technology. Industry leading wet and oil grip for added safety and efficiency
- New Former Design. New former shape provides superior fit for more agility and dexterity in medium duty applications
- 3/4 Dip Geometry Coating. Coating provides added protection against oil exposure and knuckle abrasion
- Robust Mechanical Protection. High ANSI Level 4 (EN 4) abrasion resistance and ANSI Level 2 (EN 3) cut resistance
- Dirt Masking Colors. Dark color hides dirt in oily, grimy and gritty environments
- Comprehensive Sizing. Sizes 6-11 ensure optimal dexterity and comfort for each worker
- HPPE Based Liner. High mechanical performance: abrasion, cut and tear resistance combined with a cool feeling on the hand
- Also available in vend pack

Performance Standards & Regulatory Compliance

REACH Compliant



Technologies

 **ANSELL GRIP™**
Ansell Grip Technology

 **INTERCEPT™**
Cut Resistance Technology

 **RIPEL™**
Liquid Repellence Technology

Specifications

| BRAND STYLE | DESCRIPTION | Gauge | SIZE | LENGTH | COLOR | PACKAGE |
|----------------|--|-------|--------------------|---------------------------|-------|--|
| HyFlex® 11-927 | Palm Coated, Nitrile, HPPE, Nylon, Polyamide, Spandex, Knitwrist | 13 | 6, 7, 8, 9, 10, 11 | 195-260 mm; 7.67-10.23 in | Black | • 12 pairs in a bag; 12 bags in a carton |

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region

Ansell Healthcare Europe NV
Riverside Business Park
Blvd International, 55
1070 Brussels, Belgium
T: +32 (0) 2 528 74 00
F: +32 (0) 2 528 74 01

North America Region

Ansell Healthcare Products LLC
111 Wood Avenue South,
Suite 210
Iselin, NJ 08830, USA
T: +1 800 800 0444
F: +1 800 800 0445

Australia

Ansell Limited
Level 3,678 Victoria Street,
Richmond, Vic, 3121
Australia
T: +61 1800 337 041
F: +61 1800 803 578

Asia Pacific Region

Ansell Global Trading Center
(Malaysia) Sdn Bhd
Prima 6, Prima Avenue
Block 3512, Jalan Teknokrat 6
T: +603 8310 6688
F: +603 8310 6699

Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V.
Blvd. Bernardo Quintana No. 7001-C,
Q7001 Torre II.
Suites 1304, 1305 y 1306.
Col. Centro Sur, c.p. 76079
Queretaro, Qro. Mexico
T: +52 442 248 1544 / 248 3133

Canada

Ansell Canada
105 Lauder
Owensville, QC J2K 2K8
Canada
T: +1 800 363 8340
F: +1 800 267 3551

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking © 2020 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.