

ASCORD AN065



ASCORD SLIDING GUIDED FALL ARRESTER ON Ø 14 MM + 1 AM002 KARABINER
Ref. AN065_



Product specifications

Fall arrester sliding on anchorage line stranded rope Ø 14 mm (rope sold separately). Opening type fall arrester equipped with automatic locking, non-inverting device, energy absorber with fall indicator. 1 carabiner AM002.

Stainless steel.

COLOUR

Steel

SIZE

No size

Product Use - Risks



Fall



Construction / Civil engineering



Second work / craftsman



Heavy industry



Light industry



Oil / Gas



Wind energy



Services / Logistics



Long vertical movement or movement on inclined surface



Long horizontal movement on

horizontal surface



Long horizontal movement on vertical structure



Movement on lifeline

Product's highlights & user's benefits

Non-inverting device

Easy installation of the slider in the right direction

Energy dissipater with fall indicator



AM002

x 1

Certifications and Standards



REGULATION (EU) 2016/425



EN363 : 2018 Personal fall protection equipment - Personal fall protection systems

EN364 : 1992 Personal protective equipment against falls from a height : Test method

EN365 : 2004 Personal protective equipment against falls from a height – General requirements for the instructions for use, maintenance, periodic examination, repair, marking and packaging.

EN353-2 : 2002 Personal protection equipment against falls from a height - Part 2 : Guided type fall arresters on a flexible anchor line.

References

References	Bar code	COLOUR	SIZE		
AN065	3295249237356	Steel	No size	5	-