# FHG



INDUSTRIAL WORKWEAR

PROFILE







## CONTENT

ABOUT US	4
PRODUCTS	
A. WORKWEAR SHIRT	6
B. WORKWARE PANT	7
C. WORKWEAR COVERALL	8
D. FIRE EXTINGUISHER COVER	9
E. FR MASK	10
F. FR SAFETY VEST	10
VHY CHOOSE FHC	12



## **ABOUT US**

FHC is a leading manufacturer serving the industrial sector across the MENA region for over than two decades and focusing on highly sophisticated custom built solutions in the fields of fire fighting, safety, security and process.

FHC has three state-of-the-art plants with 300,000 Sq.ft in footprint located in Dammam 2nd Industrial City in Saudi Arabia served by competent engineers and up to date fabrication equipment allowing us to design, produce and assemble a wide range of solutions that meet and exceed local and global standards.

With a target to protect the people who power the world, FHC has recently expanded its operation with a garment manufacturing setup to outfit our customers with the finest, most advanced, most intuitively designed FR Products.

We partnered with TenCate who is a pioneer in producing fabric for industrial workwear and they set high standards of quality to insure that every FR product has been thoroughly tested to meet safety industry requirement.

#### CERTIFICATION AND ACCREDITATION



















## **WORKWEAR** SHIRT



Uniform Shirt, Banded topstitched collar. Two chest pockets with button flap closures and sewn in pencil stall. Placket front with button closure.

Tailored sleeve placket. Topstitched cuff with button closure, Reinforced stitching at stress points, with Coolderm™ Technology providing Superior sweat absorption and comfort; Ideal as protective wear for hot climate work environment.









#### 5.8 OZ. UNIFORM SHIRT

#### FH580S - Long Sleeve Shirt (Size) S-5XL.

Flame Resistant, Arc Protective, NFPA® 2112 Compliant

Fabric: TECASAFE® PLUS 580, Twill, Flameresistant, modacrylic, cellulose & Aramid, 5.8 oz.

**Technology:** Coolderm<sup>™</sup> , SunSHIELD<sup>™</sup> UV Protection

Protection: Arc Rating ATPV 6.5 calories / cm2, Test according to ASTM 1930 Predicted Body Burn at 3 seconds < 14%, Thermal Shrinkage is less than 5%

#### MAIN APPLICATIONS

Oil/gas fields, oil refineries, chemical industry, power industry

#### SAFETY STANDARD

NFPA 2112, ASTM F 1930, ASTM F 1959, NFPA 70E HRC1, UL listed fabric.

#### **COLOR OPTIONS**

Light Blue, Royal Blue, Navy Blue, Gray & Khaki



#### MAIN FEATURES

- Designed with 2 Breast pocket with cover, back pleat and Pen Pocket.
- All Sewing with FR Threads.
- Soft and breathable, making it comfortable to wear
- Superior sweat absorption and comfort
- Retains excellent color and appearance after continual industrial laundering.
- Keeps you cool and dry even in the toughest
  environments
- Inherent FR protection will never wash or
  wear out.
- Soft and comfortable to wear with active moisture wicking.
- Outstanding appearance, even after industrial laundering
- Longer life-cycle than cotton or cotton-blend textiles
- Hypoallergenic fabric without any toxic, chemical finish
- Seams, stitches, and stitching types as per AATCC 88B
- Labelling as per NFPA 2113

## **WORKWARE** PANT



Waistband with button closure. Two slackstyle front pockets. Left hip pocket with button closure, Reinforced with double stitched at stress points, with Coolderm™ Technology providing Superior sweat absorption and comfort; Ideal as protective wear for hot climate work environment.









#### **5.8 OZ. UNIFORM PANT**

#### FH580P - Pant (Size) 28-52.

Flame Resistant, Arc Protective, NFPA® 2112 Compliant

Fabric: TECASAFE® PLUS 580, Twill, Flameresistant, modacrylic, cellulose & Aramid, 5.8 oz.

**Technology:** Coolderm™, SunSHIELD™ UV
Protection

Protection: Arc Rating ATPV 6.5 calories / cm2, Test according to ASTM 1930 Predicted Body Burn at 3 seconds < 14%, Thermal Shrinkage is less than 5%

#### **MAIN APPLICATIONS**

Oil/gas fields, oil refineries, chemical industry, power industry

#### **SAFETY STANDARD**

NFPA 2112, ASTM F 1930, ASTM F 1959, NFPA 70E HRC1. UL listed fabric.

#### **COLOR OPTIONS**

Light Blue, Royal Blue, Navy Blue, Gray & Khaki



#### MAIN FEATURES

- Designed plain front with 2 front pockets, 2 back pockets.
- Front closure by hook & button.
- Plain front and double stitched sides.
- All buttons, zippers, and sewing are FR tested
- Soft and breathable fabric, making it
   comfortable to wear
- Superior sweat absorption and comfort.
- Retains excellent color and appearance after continual industrial laundering.
- Keeps you cool and dry even in the toughest
  environments
- Inherent FR protection will never wash or wear out
- Soft and comfortable to wear with active moisture wicking.
- Outstanding appearance, even after industrial laundering
- Longer life-cycle than cotton or cotton-blend textiles
- Hypoallergenic fabric without any toxic, chemical finish
- Seams, stitches, and stitching types as per AATCC 88B
- Labelling as per NFPA 2113

## **WORKWEAR** COVERALL

One piece FRC Coverall, topstitched, lay-flat collar. Two-way, concealed, YKK brass breakaway zipper with concealed snap at top of zipper and at neck. Concealed snap closure on cuff, Reinforced stitching at stress points, with Coolderm™ Technology providing Superior sweat absorption and comfort; Ideal as protective wear for hot climate work environment.



#### **MAIN APPLICATIONS**

Oil/gas fields, oil refineries, chemical industry, power industry

#### SAFETY STANDARD

NFPA 2112, ASTM F 1930, ASTM F 1959, NFPA 70E HRC1, UL listed fabric.

#### **COLOR OPTIONS**

Light Blue, Royal Blue, Navy Blue, Gray & Khaki











#### 5.8 OZ. UNIFORM COVERALL

#### FH580C- DELUXE Coverall (Size) 28-52.

Flame Resistant, Arc Protective, NFPA® 2112 Compliant

Fabric: TECASAFE® PLUS 580, Twill, Flameresistant, modacrylic, cellulose & Aramid, 5.8 oz

**Technology:** Coolderm<sup>™</sup> , SunSHIELD<sup>™</sup> UV Protection

Protection: Arc Rating ATPV 6.5 calories / cm2, Test according to ASTM 1930 Predicted Body Burn at 3 seconds < 14%, Thermal Shrinkage is less than 5%

#### **MAIN FEATURES**

- Designed with 2 Front patch pockets, 2 Back patch Pockets and 2 Front side pockets.
- Front placket secured by YKK zipper and snap FR buttons closure.
- Waist belt secured by snap button.
- Soft and breathable fabric, making is comfortable to wear.
- Superior sweat absorption and comfort.
- Retains excellent color and appearance after continual industrial laundering.
- Keeps you cool and dry even in the toughest environments.
- Inherent FR protection will never wash or wear out.
- Soft and comfortable to wear with active moisture wicking
- Outstanding appearance, even after industrial
- Longer life-cycle than cotton or cotton-blend textiles
- Hypoallergenic fabric without any toxic, chemical finish
- Seams, stitches, and stitching types as per AATCC 88B
- Labelling as per NFPA 2113

## **COVERS FOR** FIRE FIGHTING EQUIPMENT

They will protect your extinguisher from harmful UV rays that deteriorates some rubbers and plastics, rendering the extinguisher unfit for use, The covers also serve as a good deterrent against passing vandals when they are placed in unsupervised areas, Easy identification and quick access is essential in an emergency.

All covers are made with open back and hook and loop closure for quick and easy removal.





#### **DESCRIPTION:**

- 10 oz vinyl laminated pvc fabric meets the flame retardant standards for NFPA-701
- Thickness: 14 Mils
- Fit portable (10 lb, 20 lb, 30 lb) pressurized and cartridge-operated extinguishers.
- Mildew resistant UV resistant, waterproof, resistant to tearing, and meeting the Flame retardant standards NFPA-701.

## FR MASK



#### **DESIGNED TO**

- Discourage touching of nose and
  mouth
- Decrease the spread of wearer's airborne particles from coughing or sneezing
- Reduce droplets and particles inhaled by the wearer





## FR SAFETY VEST

Model number: FH580FRVO

#### **DESIGN**

Interior chest pocket, YKK® Concealed snap front closure

Flame-Resistant Reflective Material placement provides 360° visibility with 2 vertical stripes on the front, a horizontal stripe around the waist and an "X" on back.

Reflective Tape: Fluorescent lime-yellow with silver stripe FR type size 2" wide. UL Listed. Soft and comfortable to wear with active moisture wicking.



#### FR SAFETY VEST

Brand: Tecasafe Plus 580 ™.

Composition: Modacrylic, Cellulose & Aramid. Weight: 5.8 oz (195 GSM) Twill Weave.

**Colors:** Orange. High-Vis Yellow

**Wicking Technology: Inherited - Coolderm™** Protection:

- Arc Flash: NFPA 70E Category 1 ATPV (ASTM 1959) 6.5 cal/cm<sup>2</sup>
- Total Body Burn (ASTM 1930) 6.8% (Aitex Report attached)
   Thermal Shrinkage: (NFPA 2112) less than 5%

### MAIN APPLICATIONS

Oil & Gas, Petrochemical Industry, Electrical Supply Utilities

### COLOR OPTIONS



Available sizes: S.M.L.XL Part number: FH580FRVO

#### PERFORMANCE

STANDARD	RESULTS
ASTM D6413: Standard Test Method for Flame Resistance of Textiles (vertical test)	Pass
AATCC135: This test method is intended for the determination of dimensional (length and width) changes of fabrics when subjected to home laundering procedures.	Pass
ASTM D3776: Standard Test Methods for Mass Per Unit Area (Weight) Of Fabric	5.8 Oz.
ASTM D5034: Standard Test Method for Breaking Strength and Elongation of Textile Fabrics (Grab Test)	Pass
ASTM D1424: Standard Test Method for Tearing Strength of Fabrics by Falling-Pendulum (Elmendorf-Type) Apparatus	Pass
ASTM D434: Standard Test Method for Resistance to Slippage of Yarns in Woven Fabrics Using a Standard Seam	Pass
AATCC Method 61:  Evaluate the colorfastness to laundering of textiles expected to withstand frequent launderings.	Pass
ASTM D3512: Pilling Resistance (rating from 1-5, 1 Poor – 5 Best)	5
SunSHIELD™ UV Protection	50+ UPF
Wicking	0.5": 3.5 Sec 1.0": 13.0 Sec 1.5":29.0 Sec 2.5":61.0 Sec

# 

We take personal protection seriously.

Our Flame-Resistant Workwear range is made from the world's most high-tech lightweight fabrics developed by TenCate, the world's leading flame-resistant (FR) fabric innovator.

Offering custom-made solutions with a focus on meeting cost target, quality, and delivering on time.

#### Features:

- Design services from concept through to delivered product ensuring compliance to any relevant safety standards.
- Custom Tecasafe Plus fabric colours can be developed upon request.
- Embroidery Logos can be developed to match your corporate colors.
- FHC has back up fabric held in Tecasafe factories for shortest possible customer delivery times on delivery.
- Tecasafe® Plus production processes are of the highest standard, including UL certification.
- Vented and non-vented options are available in most garments.



**OUR MISSION:** 

PROTECT YOU & YOUR WORKERS.



## Aramco Manufacturing ID# 10006204



Fire & Hazard Control Equipment Co. LTD.

Dammam 2nd Industrial Area

Kingdom of Saudi Arabia

www.fhcmfg.com sales@fhcmfg.com Tel: +966 13 8121095 Fax: +966 13 8121092